Exam

Abstract Algebra

(This file has been created from memory by a student, so it may contain errors and it will be incomplete)

April 12, 2024

1 Final answer / multiple choice questions

Question 1. Given are: $\sigma = (2356)$ (cyclic notation) and $\tau = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 \\ 2 & 3 & 4 & 5 & 5 & 1 \end{pmatrix}$ (array notation). Find $\sigma^{-1}\tau$ and write your answer in array notation.

 $\begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 \\ 6 & 2 & 4 & 3 & 5 & 1 \end{pmatrix}$

Question 2. How many abelian groups are there of order 100 up to isomorphism?

4

Question 3. Given is the homomorphism $GL_2(\mathbb{Z}) \rightarrow U(3)$ such that

$$\begin{pmatrix} a & b \\ c & d \end{pmatrix} \to ad - bc \pmod{3}$$

 $GL_2(\mathbf{Z})$ is the multiplicative group of (2×2) -matrices with entries in \mathbf{Z} and determinant 1 or -1. What is the index of the kernel in $GL_2(\mathbf{Z})$ of this homomorphism?

2

Question 4. What is the order of ((12)(345), 2) in $S_5 \times \mathbb{Z}_8$?

6

Question 5. Which elements in D_5 generate the subgroup < r >?

 r, r^2, r^3, r^4

Question 6. What is the logarithm of (234) with base= (123)(56)(134) in S_6 ?

4

Question 7. Given are the groups *G*, *H* and *K*. *K* is a subgroup of *H* and *H* is a subgroup of *G* (K < H < G). Which of these statements is always true? Give only one answer.

- (a) The index of H in G is bigger than the index of K in G
- (b) The index of K in H is bigger than the index of H in G
- (c) The index of K in G is bigger than the index of K in H
- (d) The index of K in H is bigger than the index of K in G

C

Question 8. Given is an abelian group *G*. *H* is a subgroup of *G*. What is true about *H*? Only give one answer.

- (a) H is normal
- (b) H is normal if H is cyclic, otherwise not normal
- (c) *H* is normal if *H* has cyclic subgroups, otherwise not normal
- (d) *H* is normal if *H* is the trivial subgroup, otherwise not normal

А

Question 9. In the group with presentation $\langle w, x, y, z | wxy, wx^{-1}, wy^{-1} \rangle$, find a word of shortest length equivalent to $wwwzyxwx^{-1}$

 zw^{-1} or zx^{-1} or any other equivalent of length 2.

Question 10. Which of the following groups is not isomorphic to U(12)? Only give one answer.

- (a) U(8)
- (b) $U(2) \times U(6)$
- (c) $U(3) \times U(6)$
- (d) $U(4) \times U(6)$

В

Question 11. Is 2x - 1 in $\mathbb{Z}_4[x]$ a unit, zero divisor, both or neither? Only give one answer.

- (a) 2x 1 is only a unit, not a zero divisor.
- (b) 2x 1 is not a unit, only a zero divisor.
- (c) 2x 1 is a unit and a zero divisor.
- (d) 2x 1 is not a unit, nor a zero divisor.

А

Question 12. Given are $q(x) = x^3 + x^2 - x - 1$ and $p(x) = 2x^3 + x^2 - 4x + 3$. Are they irreducible in **Z**₅? Only give one answer.

- (a) Only p(x) is irreducible.
- (b) Only q(x) is irreducible.
- (c) Both p(x) and q(x) are irreducible.
- (d) Both p(x) and q(x) are reducible.

С

Question 13. Given are $p(x) = x^4 - 2x^3 - x^2 - 2x + 1$ and $q(x) = x^3 - 2x^2 - 2x + 2$. What is the monic gcd(p(x), q(x))?

1

Question 14. Give the lowest integer which is a solution to the following system of congruences:

 $\begin{cases} x \equiv 2 \pmod{5} \\ x \equiv 5 \pmod{11} \end{cases}$

27

Question 15. Given is the free group F(S) = a, b, c and we define the homomorphism $\varphi : F(S) \to \mathbb{Z} \times S_5$ in which we have $\varphi(a) = (2, ()), \varphi(b) = (0, (345))$ and $\varphi(c) = (-2, (354))$. Solve: $\varphi(abccb^{-1}c^{-1}aa)$.

(4, (354))

2 **Questions with explanation**

For these questions write down the full calculations.

Question 1. Given is the homomorphism $S_n \times \mathbb{R}^n \to \mathbb{R}^n$. The permutation given by S_n changes the order of \mathbb{R}^n accordingly. This homomorphism is defined as follows:

$$(\sigma, (x_1, x_2, \dots, x_n)) \to (x_{\sigma^{-1}(1)}, x_{\sigma^{-1}(2)}, \dots, x_{\sigma^{-1}(n)})$$

Example:

$$((123), (7, 10, 11)) \rightarrow (11, 7, 10)$$

(a) What are the orbits of (1, 1, 1), (1, 2, 2) and (4, 5, 6)?

Orbits of (1,1,1) are: (1,1,1) Orbits of (1,2,2) are: (1,2,2), (2,1,2), (2,2,1) Orbits of (4,5,6) are: (4,5,6), (4,6,5), (5,4,6), (5,6,4), (6,4,5), (6,5,4)

(b) What is the stabilizer set of $(7, \pi, 7, \sqrt{2})$ and (0, 0, 5, 0)?

For $(7, \pi, 7, \sqrt{2})$: {(), (13)} For (0, 0, 5, 0): {(), (124), (142), (12), (14), (24)}

(c) Describe the fixed point set of this homomorphism. What is in it?

All sets that contain all the same numbers. E.g. (1, 1) or (2, 2).

Question 2. Prove or disprove that $\mathbb{Z}[\sqrt{3}]/I$ is a field. It is given that $2 + \sqrt{3} \in I$. Hint: compute $(2 + \sqrt{3})(2 - \sqrt{3})$.

"Argumentation for question 2 for me was that since what was given in the hint = 1, 1 must be in the ideal, thus all elements of $Z[\sqrt{3}]$ are in the ideal then the ideal is $Z[\sqrt{3}]$ itself, so its maximal since it's maximal, given ring is a field also answers the quotient ring as having order 1"

Question 3. Let *G* and *H* be groups, and *H* is a subgroup of *G*. Given is: [G : H] = 2. Prove that for any $g \in G$, then $g^2 \in H$.

"I didnt get a full proof but I argued that since the index of H was 2, any element from G must either be in H (since there is a coset eH = H) or an aH, where a an element from $g \Rightarrow g = ah$, where h in H"